


NOTE:  
 ORDER ALL RedHeader PRO™ HEADERS  
 1/2" LESS THAN ROUGH OPENING WIDTH  
 TO FIT INSIDE HDSC HEADER BRACKETS.



CRIPPLE STUDS  
 ABOVE OPENING

ATTACH TRACK TO  
 HEADER STUD USING:  
 (2) #10-16 SCREWS  
 @ 24" O.C.

RedHeader PRO HEADER  
 BRACKET. MEMBER SIZE AS  
 REQ'D PER DESIGN. WITH (4)  
 #10-16 SCREWS TO HEAD AND  
 (4) #10-16 SCREWS TO JAMB

NOTE:  
 362 = 3-1/2" LONG  
 400 = 3-7/8" LONG  
 600 = 5-7/8" LONG  
 800 = 7-7/8" LONG  
 306 = 3-1/16" DEEP  
 356 = 3-9/16" DEEP  
 MILS: -33, -68, -97

(1) #10-16 SCREW  
 TYP. EACH FLANGE

FULL HEIGHT RedHeader PRO  
 JAMB STUD.  
 MEMBER SIZE AS REQ'D  
 PER DESIGN.

RedHeader PRO. MEMBER  
 SIZE AS REQ'D PER  
 DESIGN.

**BAILEY**® METAL PRODUCTS LIMITED RedHeader PRO™ CONNECTION  
 CURTAIN WALL 3" or 3-1/2" FLANGE HEADER USING:  
 (1)HEADER STUD w/(1)TRACK

This detail library is intended to provide general framing details only and does not replace the judgments and designs of a qualified architect and/or engineer. The details are provided as a starting tool to assist the user in creating and detailing cold-formed steel framing construction details. Each detail including accompanying text must be thoroughly evaluated and approved by a qualified architect or engineer.  
 © Copyright 2017 ClarkDietrich Building Systems For more information visit [www.bmp-group.com](http://www.bmp-group.com) or call (905) 738-9267