

LIGHTWEIGHT STEEL FRAMING DETAILS GENERAL & AXIAL LOADBEARING




MONTREAL • TORONTO • CALGARY • EDMONTON • VANCOUVER

BAILEY[®]
METAL PRODUCTS LIMITED




WALL ELEVATIONS

Bailey Wind Bearing Walls (BWB) Lightweight Steel Framing (LSF) provides economical structural support for finishes under lateral wind loads on buildings where other structural components carry axial loads. BWB walls can be designed for a variety of deflection limits for finishes such as EIFS, Stucco, Metal Panel and Brick Veneer. Wind-Bearing LSF may be used in buildings of any height.



EXTERIOR INFILL WALLS /
CONTINUOUS EXTERIOR CURTAIN WALLS

Bailey Axial Loadbearing Walls (BAB) Lightweight Steel Framing (LSF) supports the combined axial and wind loads on interior and exterior walls. Buildings up to six stories in height can be framed using LSF. LSF works with a variety of floors including LSF Joists, ComSlab® composite flooring systems, OWSJ's and hollow precast concrete.




AXIAL LOAD BEARING WALLS



Bailey Joists for Floors & Roofs


Lightweight Steel Framing (LSF) Joists offer a wide range of span and load capabilities for commercial and residential floor systems and mezzanines. LSF ceiling Joist members can also be utilized for pitched, mansard and flat roofs. The use of Bailey LSF Joist members will provide support for interior drywall ceilings where long clear spans are required.



JOISTS FOR FLOORS & ROOFS

Bailey Non-Loadbearing Walls (BNLB)


Lightweight Steel Framing (LSF) provides an effective solution for interior non-load bearing walls and partitions. When combined with top track deflection members, bulkheads will resist buckling caused by deflection of floor and roof assemblies. Non-load bearing LSF provides a stable framework for drywall or other finished wall surface applications.



TALL INTERIOR PARTITIONS

Bailey Spandrel Walls

Lightweight Steel Framing (LSF) accommodates a variety of spans for continuous strip window applications. LSF provides a stable, square platform in which glazing units and frames can be effectively installed.




SPANDREL WALLS
FOR CONTINUOUS
STRIP WINDOWS



WALL ELEVATIONS

AXIAL LOADBEARING WALL


In axial loadbearing construction, some form of bracing is required to resist wind, seismic and sway effects produced by vertical loads acting on the structure (the P-delta effect). Diagonal tension straps are normally the most economical means of providing this bracing. Diagonal straps are typically installed in pairs to form the X pattern over the face of the studs. Strap end connections must be engineered to transfer the full design load and account for horizontal and vertical strap reactions.



GENERAL DETAILS


1

BAILEY STUD TO
BAILEY TRACK




3

BAILEY STUD REINFORCED
WITH BAILEY TRACK




4

BAILEY STUD WITH WEB
STIFFENER REINFORCING




5

JAMB STUD AT
DOOR OPENING




6

BAILEY STUD TO BAILEY
TRACK AT CORNERS




7

THROUGH-THE-STUD
BRIDGING




8

FLAT STRAP BRIDGING




9

NOTCHED CHANNEL
BRIDGING




10

EXTERIOR SHEATHING




11

EXTERIOR RIGID
INSULATION



12

EXTERIOR SHEATHING
AND RIGID INSULATION






BAILEY[®]
METAL PRODUCTS LIMITED

AXIAL LOADBEARING WALLS


35

DIAGONAL TENSION STRAPS ONE SIDE




36

DIAGONAL TENSION STRAPS BOTH SIDES




37

TENSION STRAP CONNECTION



38

TENSION STRAP CONNECTION WITH GUSSET PLATES






AXIAL LOADBEARING WALLS


39

WALL OPENING WITH UPPER LINTEL




40

WALL OPENING WITH LOWER LINTEL




41

OPEN WEB STEEL JOISTS IN LINE WITH AXIAL LOADBEARING STEEL STUDS



20



OPEN WEB STEEL JOISTS OFFSET TO AXIAL LOADBEARING STEEL STUDS





BAILEY[®]

METAL PRODUCTS LIMITED



LIGHTWEIGHT STEEL FRAMING DETAILS GENERAL & AXIAL LOADBearing

sales@bmp-group.com • www.bmp-group.com



GXL04IN17-500

MONTREAL

525 Avenue Edward VII
Dorval, QC H9P 1E7
Tel. (514) 735-3455
800-263-3455
Fax. (514) 735-5052

TORONTO

1 Caldari Road
Concord, ON L4K 3Z9
Tel. (905) 738-9267
800-668-2154
Fax. (905) 738-5712

CALGARY

3924 27th Street NE
Calgary, AB T1Y 5K7
Tel. (403) 248-3536
800-665-2013
Fax. (403) 248-0288

EDMONTON

5710 Roper Road NW
Edmonton, AB T6B 3G7
Tel. (780) 462-5757
800-563-1751
Fax. (780) 450-3378

VANCOUVER

7715 Anvil Way
Surrey, BC V3W 6A2
Tel. (604) 590-5100
800-818-2666
Fax. (604) 590-5105